


MALE 60

🕻 Gulf Craft









NUT CONTE

Male FEY 60

Mayerty 60

exterior



MƏJEJEY 60



Molesty 60







THE KINIOLK MAN

4

Malesty 60

Q WOVIES SHOWS WATCHFREE* APPS EXTRAS

Disclaimer: All items on renders are for illustration purposes some items shown may not reflect on standard vessel

CALIFORNY) \

SPRINTER OF



Interorowner cabin

Malesty 60




INTERIOR OWNERS CALIN










Majesty 60





MAJEJEJ 60

twinguest cabin option i



N

Majej ty 60









LOWER DECK

MAIN CHARACTERISTICS







3'

HULL TYPE HULL MATERIAL STRUCTURE MATERIAL YACHT TYPE MAXIMUM (all passengers+Crew) GROSS TONNAGE DISPLACEMENT CERTIFICATION NOTIFIED BODY DESIGN CATEGORY

FUEL	FRESH
APACITY	CAPA
1500 LITERS	567 LIT

WATER GREY WATER BLACK WATER CITY

CAPACITY

CAPACITY

CAP

925 U.S 3500

ELECTRICAL POWER SYSTEM

OP SPEED		
RUISING SPEED		
RANGE @ 12 knots		

Standard - Twin Volvo Penta D8-600, 441kw @ 3000 RPM Optional – Twin Volvo Penta D13-900, 662 kw @ 2300 RPM



LOWER DECK

MAIN CHARACTERISTICS

Dimensions

60'- 3" 18.39 Meters Length Overall



3' 0.9 Meters

Dasign

HULL TYPE HULL MATERIAL STRUCTURE MATERIAL YACHT TYPE GROSS TONNAGE DISPLACEMENT CERTIFICATION NOTIFIED BODY DESIGN CATEGORY

Mono Hull Fiber Reinforced Plastics (FRP) Fiber Reinforced Plastics (FRP) Motor Yacht 50 GT 29 Tons Approx CE RINA

ank Capacilies

FUEL CAPACITY 925 US. GALLONS 3500 LITERS	FRESH WATER CAPACITY 150 US. GALLONS 567 LITERS	GREY WATER CAPACITY 30 US. GALLONS 113 LITERS	BLACK WATER CAPACITY 59+19 US, GALLONS 189+72 LITERS
Machinery ENGINES		441kv Optio 662 k	ard - Twin Volvo Penta D8-600, v @ 3000 RPM nal – Twin Volvo Penta D13-900, w @ 2300 RPM
GENERATOR			0kW, 230V AC, 50 Hz, 1~phase
ELECTRICAL PO Performance	WER SYSTEM		
TOP SPEED CRUISING SPEE	D	твс	

🕻 Guy Crap

PO. Gulf Craft Shipyard 13 Sheikh Ahmed Bid Rashid Al Mualla Road Umm Al Quwain United Arab Emirates T: +971 06 706 8000

> gci@gulfcraftinc.com www.gulfcraftinc.com

self Craft Inc. reserves the craft to make any changes in specifications or equipment without prior notice. In case on any inconsistencies between specification sheet, produc retailogue and price list, the price list prevails. Customers are recommended to contact ones of our sales representatives to recomfree standard and optional features on the