

AB 110









AB 110

















AB 110





















































AB 110 FEATURES



AB 110

DIMENSIONS

Lenght Overall L.O.A.	33.70 m / 110 ft 7 in
Beam	6.80 m / 22 ft 4 in
Max Draft	1.25 m / 4 ft 1 in
Displacement at full load	100 t approx / 220,462 lbs approx

CONSTRUCTION

Hull	COMPOSITE
Superstructure	COMPOSITE

PROPULSION

Main engine power	[3] MAN mod. V12-2000 of 2000 HP ea. (1471 kW @ 2300 rpm) SCR equipment compliant with IMO Tier III
Transmission	[2] MJP steerable waterjets + [1] MJP (central booster) waterjet
Stabilization	Gyro Stabilizer (zero speed and underway) SEAKEEPER

PERFORMANCE


Max speed	49,50 knots
Cruising speed	45 knots
Range at cruising speed	~550 nm

ACCOMMODATIONS


Guest	Up to 10 in 4 cabins
Crew	4 in 2 cabins

CLASSIFICATION

CE Certificate	Design Category A
Class Certificate	R.I.Na. - C Ⓢ HULL • MACH Y Unrestricted Navigation



SUN DECK




MAIN DECK




LOWER DECK


SUN D




SUN DECK




MAIN DECK



LOWER DECK



SUN DECK



MAIN DECK



LOWER DECK

